



## Certificate of Analysis

Compliance Test

**Client Information:**

**Honest PP&D**

**1038 Arlington St**

**Orlando, Florida 32805**

Order # HON250326-060001

Order Date: 2025-03-26

Sample # AAGN464

Batch # GYBCJLL1502401

Batch Date: 2025-03-26

Extracted From: HEMP

Test Reg State: Florida

Sampling Date: 2025-03-28

Lab Batch Date: 2025-03-28

Completion Date: 2025-04-09

Initial Gross Weight: 60.800 g

Net Weight: 10.000 g

Number of Units: 5

Net Weight per Unit: 5000.000 mg



Product Image



**Potency  
Tested**



**HHCP  
Tested**

**Delta 8/Delta 10 Potency 13 -  
(LCUV) + Potency 25 (LCUV)**

Specimen Weight: 208.800 mg

**Tested**

SOP13.001 (LCUV)



**Potency Summary**

|                                          |                                                |
|------------------------------------------|------------------------------------------------|
| <b>Total Delta 8</b><br>2.060% 103 mg    | <b>Total Delta 10</b><br>0.023% 1.15 mg        |
| <b>Total HHC</b><br>None Detected        | <b>Total Active THC</b><br>None Detected       |
| <b>Total Active CBD</b><br>None Detected | <b>Total CBG</b><br>None Detected              |
| <b>Total CBN</b><br>0.021% 1.05 mg       | <b>Total Cannabinoids</b><br>2.261% 113.045 mg |

Summary Results determined from two distinct Potency Tests - Delta 8/Delta 10 Potency 13 - (LCUV) + Potency 25 (LCUV)

**Pieces For Panel: 2**

| Analyte               | Dilution (1:n) | LOD (mg/g) | LOQ (%) | Result (mg/g) | (%)    |
|-----------------------|----------------|------------|---------|---------------|--------|
| Delta-8 THC           | 10.000         | 2.60E-5    | 0.0015  | 20.6000       | 2.0600 |
| Delta6a10a-THC        | 10.000         | 8.47E-5    | 0.0015  | 1.290         | 0.129  |
| Delta-10 THC          | 10.000         | 3.00E-6    | 0.0015  | 0.230         | 0.023  |
| Delta-8 THCV          | 10.000         | 4.00E-5    | 0.0015  | 0.2178        | 0.0218 |
| CBN                   | 10.000         | 1.40E-5    | 0.0015  | 0.2100        | 0.0210 |
| Delta9-THCP *         | 10.000         | 1.17E-5    | 0.0012  | 0.0606        | 0.0061 |
| CBC                   | 10.000         | 2.76E-5    | 0.0015  | <LOQ          | <LOQ   |
| CBD                   | 10.000         | 5.40E-5    | 0.0015  | <LOQ          | <LOQ   |
| CBDA                  | 10.000         | 1.00E-5    | 0.0015  | <LOQ          | <LOQ   |
| CBDV                  | 10.000         | 6.50E-5    | 0.0015  | <LOQ          | <LOQ   |
| CBG                   | 10.000         | 2.48E-4    | 0.0015  | <LOQ          | <LOQ   |
| CBGA                  | 10.000         | 8.00E-5    | 0.0015  | <LOQ          | <LOQ   |
| Delta-9 THC           | 10.000         | 2.80E-4    | 0.0015  | <LOQ          | <LOQ   |
| THCA-A                | 10.000         | 3.20E-5    | 0.0015  | <LOQ          | <LOQ   |
| THCV                  | 10.000         | 7.00E-6    | 0.0015  | <LOQ          | <LOQ   |
| CBCA                  | 10.000         | 1.07E-4    | 0.0015  | <LOQ          | <LOQ   |
| CBDVA                 | 10.000         | 1.40E-5    | 0.0015  | <LOQ          | <LOQ   |
| CBL                   | 10.000         | 3.50E-5    | 0.0015  | <LOQ          | <LOQ   |
| CBNA                  | 10.000         | 9.50E-5    | 0.0015  | <LOQ          | <LOQ   |
| CBT                   | 10.000         | 2.00E-4    | 0.0015  | <LOQ          | <LOQ   |
| Delta-8 THC-O Acetate | 10.000         | 2.70E-5    | 0.0015  | <LOQ          | <LOQ   |
| Delta-9 THC-O Acetate | 10.000         | 7.70E-5    | 0.0015  | <LOQ          | <LOQ   |
| Delta8-THCP *         | 10.000         | 3.75E-4    | 0.0015  | <LOQ          | <LOQ   |
| Exo-THC               | 10.000         | 2.30E-4    | 0.0015  | <LOQ          | <LOQ   |
| THCB *                | 10.000         | 1.80E-4    | 0.00195 | <LOQ          | <LOQ   |
| THCH *                | 10.000         | 3.50E-4    | 0.00195 | <LOQ          | <LOQ   |
| THCVA                 | 10.000         | 4.70E-5    | 0.0015  | <LOQ          | <LOQ   |
| Total Active CBD      | 10.000         |            |         | <LOQ          | <LOQ   |
| Total Active THC      | 10.000         |            |         | <LOQ          | <LOQ   |

*Axia Sun*

Axia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 The results apply to the sample as received. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "A" are not ISO/IEC 17025:2017 accredited test results.



## Certificate of Analysis

### Compliance Test

#### Client Information:

**Honest PP&D**

**1038 Arlington St**

**Orlando, Florida 32805**

Order # HON250326-060001

Order Date: 2025-03-26

Sample # AAGN464

Batch # GYBCJLL1502401

Batch Date: 2025-03-26

Extracted From: HEMP

Test Reg State: Florida

Sampling Date: 2025-03-28

Lab Batch Date: 2025-03-28

Completion Date: 2025-04-09

Initial Gross Weight: 60.800 g

Net Weight: 10.000 g

Number of Units: 5

Net Weight per Unit: 5000.000 mg

#### HHCP HHCP

Specimen Weight: 208.800 mg

**Tested**  
SOP13.050 (LCMS)

Dilution Factor: 1000.000

| Analyte            | LOD (%)     | LOQ (%) | Result (mg/g) | (%)  | Analyte                  | LOD (%)     | LOQ (%) | Result (mg/g) | (%)  |
|--------------------|-------------|---------|---------------|------|--------------------------|-------------|---------|---------------|------|
| (9R)-HHC           | 3.6600E-6   | 0.075   | <LOQ          | <LOQ | CBC                      | 2.760000E-5 | 0.075   | <LOQ          | <LOQ |
| (9S)-HHC           | 6.6000E-6   | 0.075   | <LOQ          | <LOQ | Delta-8 THC methyl ether | 2.480000E-4 | 0.075   | <LOQ          | <LOQ |
| (±)-9β-hydroxy-HHC | 7.7800E-6   | 0.075   | <LOQ          | <LOQ | Delta-9 THC              | 2.8000E-4   | 0.075   | <LOQ          | <LOQ |
| 1(R)-H4-CBD        | 7.330000E-7 | 0.15    | <LOQ          | <LOQ | Delta-9 THC methyl ether | 1.600000E-4 | 0.075   | <LOQ          | <LOQ |
| 1(S)-H4-CBD        | 6.630000E-7 | 0.15    | <LOQ          | <LOQ | H2-CBD                   | 1.440000E-7 | 0.075   | <LOQ          | <LOQ |
| 9(R)-HHCP          | 3.0900E-5   | 0.075   | <LOQ          | <LOQ | Total HHC                | 0.075       | 0.075   | <LOQ          | <LOQ |
| 9(S)-HHCP          | 2.5500E-5   | 0.075   | <LOQ          | <LOQ |                          |             |         |               |      |



Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.

